

WWW.PROSHOCKS.COM











MUSCLE CAR

2017

PRO SHOCKS MASTER CATALOG











WHO WE ARE PRO Shocks is a manufacturing company that has been building shocks, servicing our customers and delivering championships for over 30 years. The key to our success is attention to detail. Our shocks are carefully built to strict tolerances to ensure maximum value and performance. We back up our suspension components with talented sales, tech and customer service personnel to ensure you receive the product you want, the answers you need and the support you demand.



PREMIER DESIGN & ENGINEERING

Our great products start with the best design and engineering people. Our engineering team is one of the most experienced in the industry. PRO Shocks products are known for reliability, performance, value and innovation. Before we ever release the first iteration of a new product, we use a combination of: vehicle data collection tools, 3-D design software, extensive CAD modeling, finite element analysis testing, laboratory testing and extensive field trials to make sure you are getting the best product for your money. We spend countless hours on the road testing and refining our products at the tracks with our customers so you can be sure our products will work as advertised every time!



MANUFACTURING EXCELLENCE

We have built a winning reputation by manufacturing and building quality suspension components for over 3 decades. Producing shocks that win on all levels starts with a comprehensive knowledge of chassis dynamics. From there, stringent tolerances are held during the assembly and dyno process so that the finished product performs better than expected. At PRO Shocks, winning is something we enjoy doing every day. Success starts with attention to detail and ends with you.



PERFORMANCE DRIVEN

The PRO Shocks reputation for building winning racing and performance shocks begins with the company's comprehensive knowledge of chassis dynamics. The proven performance that makes PRO Shocks suspension systems famous for quality comes from a precision manufacturing environment.







UNRIVALED CUSTOMER SERVICE & TRAINING

Building a program that has been an industry leader for over 30 years starts with great people. The sales, tech and customer support team is made up of dedicated, race oriented professionals who understand the industry, the need to get it right and the desire to serve. Our goal is to offer excellent service.



The PRO Shocks advantage is available in thousands of products for a wide range of applications. The common thread that ties all PRO Shocks products together is performance. PRO Shocks products are built to perform because we like to win! Manufacturing a second place product just doesn't interest us. Our unrelenting passion to be the best is the reason professional racers have relied on PRO Shocks products for over 30 years!









Download or request a 2017 AFCO or Dynatech Catalog at: www.afcodynapro.com

> **Download or request** a 2017 CSI Catalog at: www.csishocks.com







CONTACT INFO

\$ 855-682-4404



🖶 800-319-2551

Sales and Technical Support Open Daily Monday-Friday 8:00 a.m. - 5:00 p.m. CST

MAILING ADDRESS

P.O. Box 548 Boonville, IN 47601

PHYSICAL ADDRESS

977 Hyrock Blvd. Boonville, IN 47601

MARKETING PARTNERS













LIMITED WARRANTY

AFCO Performance Group will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set for th herein, AFCO Performance Group makes now arranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO PerformanceGroup be liable for any special, incidental or consequential damages, or any other damages what soever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent are void. AFCO Performance Group has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group by any such person, entity or agent are void. AFCO Performance Group products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

© Copyright 2017 AFCO Performance Group • Printed in the U.S.A. This catalog may not, in whole or in part, be copied, photocopied, reproduced, or converted to any electronic or machine-readable form without written consent of AFCO Performance Group.



OPEN WHEEL

ALUMINUM SMALL BODY SMOOTH ADJUSTABLE BULB GAS

G SERIES

PAGE 8-9

THREADED

GC SERIES

PAGE 8-9

ALUMINUM SMALL BODY SMOOTH NON-ADJUSTABLE

SBA SERIES

PAGE 18-19

THREADED

ASB SERIES

PAGE 18-19



SINGLE ADJUSTABLE

| STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|--------|-----------|------------|----------|
| 6" | 1.63" | 12.68" | 18.68" |
| 7" | 1.63" | 13.68" | 20.68" |
| 8" | 1.63" | 14.68" | 22.68" |



NON-ADJUSTABLE

| STROKE | BODY O.D. | COMPRESSED | EXTENDED | |
|--------|-----------|------------|----------|--|
| 5" | 1.63" | 10.5" | 15.5" | |
| 6" | 1.63" | 11.5" | 17.5" | |
| 7" | 1.63" | 12.5" | 19.5" | |
| 8" | 1.63" | 13.5" | 21.5" | |

ASPHALT LATE MODEL, ROAD RACE

ALUMINUM BIG BODY THREADED 4-WAY ADJUSTABLE

PRO 4-WAY

PAGE 10



ADJUSTABLE

21.5"

23.5"

| | STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|---|--------|-----------|------------|----------|
| | 6" | 2" | 12.08" | 18.00" |
| | 7" | 2" | 13.08" | 20.00" |
| | 8" | 2" | 14.08" | 22.00" |
| - | 9" | 2" | 15.08" | 24.00" |
| | | | | |

OPEN WHEEL, ASPHALT MODIFIEDS, ASPHALT LATE MODEL, DIRT LATE MODEL

8"

ALUMINUM BIG BODY THREADED ADJUSTABLE

ACF SERIES

PAGE 13



| | | ADJUSTABLE | | |
|--------|-----------|------------|----------|--|
| STROKE | BODY O.D. | COMPRESSED | EXTENDED | |
| 5" | 2" | 11" | 15.5" | |
| 6" | 2" | 12" | 17.5" | |

14"

15"

2"

ALUMINUM BIG BODY SMOOTH AD HISTARI E &

SMOOTH ADJUSTABLE & NON-ADJUSTABLE

A SERIES

PAGE 12-17

THREADED

AC SERIES

PAGE 12-17



| | | ADJUS | TABLE | ADJUS | TABLE |
|--------|-----------|------------|----------|------------|----------|
| STROKE | BODY O.D. | COMPRESSED | EXTENDED | COMPRESSED | EXTENDED |
| 5" | 2" | 10.5" | 15.5" | 11.5" | 16" |
| 6" | 2" | 11.5" | 17.5" | 12.5" | 18" |
| 7" | 2" | 12.5" | 19.5" | 13.5" | 20" |
| 8" | 2" | 13.5" | 21.5" | 14.5" | 22" |
| 9" | 2" | 14.5" | 23.5" | 15.5" | 24" |

NON-ADJUSTABLE

| STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|--------|-----------|------------|----------|
| 7" | 2" | 12.5" | 19.5" |
| 9" | 2" | 14.5" | 23.5" |



OPEN WHEEL MODIFIED

STEEL BIG BODY NON-ADJUSTABLE WB SERIES

PAGE 20-21

NON-ADJUSTABLE

| STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|--------|-----------|------------|----------|
| 4" | 2" | 9.5" | 13.5" |
| 5" | 2" | 10.5" | 15.5" |
| 6" | 2" | 11.5" | 17.5" |
| 7" | 2" | 12.5" | 19.5" |
| 8" | 2" | 13.5" | 21.5" |
| 9" | 2" | 14.5" | 23.5" |



STEEL BIG BODY NON-ADJUSTABLE TAKE APART

TA SERIES

PAGE 22-23

NON-ADJUSTABLE

| STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|--------|-----------|------------|----------|
| 4" | 1.63" | 9.5" | 13.5" |
| 5" | 1.63" | 10.5" | 15.5" |
| 6" | 1.63" | 11.5" | 17.5" |
| 7" | 1.63" | 12.5" | 19.5" |
| 8" | 1.63" | 13.5" | 21.5" |
| 9" | 1.63" | 14.5" | 23.5" |



STEEL SMALL BODY NON-ADJUSTABLE TAKE APART

TASB SERIES

PAGE 23

OVAL TRACK COIL-OVER KITS

AC, ASB, ACF, TA, TASB, WB SERIES

PAGE 26-27











SPORTMOD / STREET STOCK

STEEL BIG BODY STOCK MOUNT TAKE APART REBUILDABLE

TASS SERIES

PAGE 24



| BODY O.D. | FRONT | REAR |
|-----------|----------------------------|--|
| 2" | TASS1004XX | TASS2018XX |
| 2" | TASS1004XX | TASS2008XX |
| 2" | TASS1005XX | TASS2018XX |
| 2" | TASS1005X | TASS4008XX |
| 2" | TASS3004XX | TASS4025XX |
| 2" | TASS3004XX | TASS4015XX |
| | 2" 2" 2" 2" 2" | 2" TASS1004XX 2" TASS1004XX 2" TASS1005XX 2" TASS1005X 2" TASS3004XX |

STEEL SMALL BODY STOCK MOUNT TAKE APART REBUILDABLE

TASSSB SERIES

PAGE 24



| APPLICATION | BODY O.D. | FRONT | REAR |
|------------------------------|-----------|--------------|--------------|
| GM MID-SIZE / METRIC CHASSIS | 1.63" | TASSSB1004XX | TASSSB2018XX |
| '70-'81 CAMARO / FIREBIRD | 1.63" | TASSSB1004XX | TASSSB2008XX |
| GM FULL SIZE | 1.63" | TASSSB1005XX | TASSSB2018XX |
| FORD FULL SIZE / MID-SIZE | 1.63" | TASSSB1005X | TASSSB4008XX |
| 74-78 FORD MUSTANG II | 1.63" | TASSSB3004XX | TASSSB4025XX |
| 71-80 PINTO (EXCEPT SW) | 1.63" | TASSSB3004XX | TASSSB4015XX |

STEEL SMALL BODY STOCK MOUNT SEALED NON-REBUILDABLE

SS SERIES

PAGE 25



| APPLICATION | BODY O.D. | POSITION | NON ADJ. |
|---------------------------|-----------|---------------|----------------|
| GM FULL-SIZE & MID-SIZE | 1.63" | FRONT REAR | SS100 SS201 |
| '70-'81 CAMARO / FIREBIRD | 1.63" | FRONT REAR | SS100 SS200 |
| FORD FULL SIZE / MID-SIZE | 1.63" | FRONT REAR | SS100 SS400 |
| 74-78 FORD MUSTANG II | 1.63" | FRONT REAR | SS300 SS402 |
| MUSTANG | 1.63" | REAR | SS400 |
| 71-80 PINTO (EXCEPT SW) | 1.63" | FRONT REAR | SS300 SS401 |

STEEL BIG BODY NON-REBUILDABLE

WB SERIES

PAGE 20-21



| STROKE | BODY O.D. | COMPRESSED | EXTENDED |
|--------|-----------|------------|----------|
| 7" | 2" | 12.5" | 19.5" |
| 9" | 2" | 14.5" | 23.5" |

STROKE BODY O.D. RIDE HEIGHT MOUNTING TYPE 1.63 10.5 URETHANE OR BEARING 3" 4" 1.63" 11.5" URETHANE OR BEARING 5" 1.63" 13.5" URETHANE OR BEARING 6" URETHANE OR BEARING 1.63" 15"

| PART NUMBER | BODY O.D. | RIDE HEIGHT | COMPRESSED | EXTENDED | END TYPE |
|-------------|-----------|-------------|------------|----------|----------|
| SM300 | 1.63" | 9" | 7.5" | 10.5" | EYE/EYE |
| SM400 | 1.63" | 10" | 8" | 12.1" | STUD/EYE |
| SM401 | 1.63" | 10.5" | 8.75" | 12.5" | EYE/EYE |
| SM500 | 1.63" | 12" | 9.5" | 14.5" | EYE/EYE |
| SM600 | 1.63" | 13.5" | 10.5" | 16.5" | FYF/FYF |

RIDE HEIGHT

10.5

11.5

13.5"

15"

MOUNTING TYPE

STANDARD/TAPERED

STANDARD/TAPERED

STANDARD/TAPERED

STANDARD/TAPERED

BODY O.D.

1 63'

1.63"

1.63"

1.63"



STREET RODS ALUMINUM SMALL BODY ASB/SR SERIES

PAGE 28-29





STREET PERFORMANCE ALUMINUM SMALL BODY MUSTANG II **SERIES**

PAGE 34-35 SPRINGS SOLD **SEPARATELY**

| STROKE | BODY O.D. | FRONT Coil Over | REAR Shock |
|------------|-----------|--------------------|---------------|
| BUICK | 1.63" | YES | YES |
| CHEVROLET | 1.63" | YES | YES |
| OLDSMOBILE | 1.63" | YES | YES |
| PONTIAC | 1.63" | YES | YES |



GM COIL-OVER STEEL SMALL BODY C200 SERIES PAGE 32-33

SPRINGS AND ACCESSORIES

SHOCK ACCESSORIES

PAGE 38



CHROME TAPERED

SPRINGS

PAGE 32, 35

STROKE

3"

4"

5"

CHROME SPRINGS

PAGE 30-31











MONOTUBE GAS SERIES

(ALUMINUM SMALL BODY)

G SERIES SINGLE ADJUSTABLE



MONOTUBE GAS SERIES

(ALUMINUM SMALL BODY)

GC SERIES SINGLE ADJUSTABLE

HOW TO ORDER YOUR G OR GC SERIES SINGLE ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the charts below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. **See examples below.**

REBOUND ADJUSTABLE EXAMPLE

| SHOCK SERIES | + | STROKE LENGTH | + | COMPRESSION NUMBER | + | REBOUND ADJ NUMBER | + | DIGRESSIVE/LINEAR PISTON (D/L) | EXAMPLE PART NUMBER |
|-----------------|---|------------------|---|-----------------------|---|-----------------------|---|-----------------------------------|------------------------|
| G or GC | | 6" - 8" | | 2 TO 7 | | 2-5.5, 3-6, 4-7 | | D | G64-36D |

COMPRESSION ADJUSTABLE EXAMPLE

| SHOCK SERIES | + | STROKE LENGTH | + | COMPRESSION ADJ NUMBER | + | REBOUND NUMBER | + | DIGRESSIVE/LINEAR PISTON (D/L) | EXAMPLE PART NUMBER |
|-----------------|---|------------------|---|---------------------------|---|-------------------|---|-----------------------------------|------------------------|
| G or GC | | 6" - 8" | | 4-6, 5-7 | | 2 TO 7 | | D | G836-4D |

G or GC SERIES SINGLE ADJ. CUSTOM BUILD SHOCKS

G or GC Series Rebound Adjustable Custom Build

G(or GC)6ARD G(or GC)7ARD G(or GC)8ARD

G or GC Series Compression Adjustable Custom Build

G(or GC)6ACD G(or GC)7ACD G(or GC)8ACD

GC SERIES C332 COIL-OVER KIT - \$54.99



Gas Pressure Gauge, Part #GAUGE - \$76.99 Double Digressive Piston Assembly, Part #1100006445 - \$65.99 Linear Piston, Part #110000650 - \$44.99 Linear Piston Plate - High Flow, Part #1100006443 - \$19.99 Linear Piston Plate, Part #1100006443 - \$19.99 Bump Cup, Part #11000071610 - \$45.99 1" Extended Rod End, Part #11000024144 - \$94.99 Bumpstop 58mm Soft Red, Part #223527 - \$24.99 Bumpstop 58mm Medium Natural, Part #223533 - \$24.99 4' Cockpit Adjuster, Part #ADJSBG-4 - \$94.99 Carbon Fiber Shock Protector, Part #20379-63 - \$69.99





PRO 4-WAY SERIES

(ALUMINUM BIG BODY WITH GAS CANISTER)

4-WAY ADJUSTABLE

The engineers at PRO Shocks designed the new 4-way with performance and function in mind. The shock features the same traction enhancing technology found in all PRO Shocks, but is fully high and low speed adjustable on both compression and rebound. Consistency is enhanced by the recirculating, single circuit valve design. Unlike other adjustable shocks, the hysteresis is minimized and remains low regardless of the adjustment position or range. This allows a wide adjustment range without sacrificing performance. The shock is designed to fit many existing applications. Its compressed and extended lengths are in line with industry standards and the adjustable eyelet and canister position allows for maximum mounting clearance. This series is ideal for front or rear applications on many pavement cars.



- Fully independent high and low speed adjustments for both compression and rebound.
- All adjustments affect the pressure drop across the main piston, eliminating the need for a basevalve.
- Single-circuit, recirculating design allows for large adjustment range with extremely low hysteresis.
- Solid main piston allows for reduced gas charge pressure without the risk of cavitation.
- Nitrogen bladder design enhances response and reduces stiction-induced hysteresis.
- Universal mounting design has 32 different options.
 - 8 position, indexable gas canister.
 - 4 position, indexable body eyelet.
- Compact compressed and extended lengths comparable to most std. shock lengths on the market.
- Custom tuning to meet the racer's needs.

PRO 4-Way Adjustable Series \$1,199.99

CALL PRO SHOCKS FOR YOUR CUSTOM BUILT SHOCK!

C356 FLAT COIL-OVER KIT - \$74.99



C357 TAPERED COIL-OVER KIT - \$74.99



NEXT GENERATION TWIN TUBE SERIES

ALUMINUM BIG BODY)

AR1 SERIES NON-ADJUSTABLE

PRO Shocks has redesigned our Big Body Non-Adjustable series with speed and tunability in mind. The AR1 Series features fully machined components including valves, sealing surfaces, and compression head. With more precision parts, we are able to isolate compression and rebound bleed circuits to reduce fluid bypass in the system. The AR1 Series is available in 6", 7", 8", and 9" lengths and is now available with a smooth or threaded body.

Fully machined and rebuildable basevalve.

■ Steam treated piston with machined sealing surfaces.

 Precision components for greater consistency and increased repeatability.

Custom tuning to meet the racer's needs.

AR1 Series
Non-Adjustable:
\$239.99

CALL PRO SHOCKS FOR YOUR CUSTOM BUILT SHOCK!

| DESCRIPTION | PART # | PRICE |
|-----------------------------|--------|----------|
| AR1 6" BODY LENGTH - SMOOTH | AR1600 | \$239.99 |
| AR1 7" BODY LENGTH - SMOOTH | AR1700 | \$239.99 |
| AR1 8" BODY LENGTH - SMOOTH | AR1800 | \$239.99 |
| AR1 9" BODY LENGTH - SMOOTH | AR1900 | \$239.99 |

| DESCRIPTION | PART # | PRICE |
|-------------------------------|---------|----------|
| AR1 6" BODY LENGTH - THREADED | ACR1600 | \$239.99 |
| AR1 7" BODY LENGTH - THREADED | ACR1700 | \$239.99 |
| AR1 8" BODY LENGTH - THREADED | ACR1800 | \$239.99 |
| AR1 9" BODY LENGTH - THREADED | ACR1900 | \$239.99 |











(ALUMINUM BIG BODY)

A SERIES SINGLE ADJUSTABLE



ACF SERIES SINGLE ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the adjustable rebound valving range. See example below.

| | SHOCK SERIES + | STROKE LENGTH | + | COMPRESSION VALVING OPTIONS | + | ADJ. REBOUND VALVING RANGES | + | R | = | PART Number |
|----------|-------------------|------------------|---|-----------------------------|---|--------------------------------|---|---|---|----------------|
| EXAMPLE: | A or ACF | 7" | | 4 | | 3-8 | | R | | ACF743-8R |

ACF Series Single Adjustable:

| | PO | DSSIBLE COMBINA | TIONS | |
|-----------------|----------------------|-----------------------------|--------------------------------|------------------------|
| SHOCK SERIES | STROKE OPTIONS | COMPRESSION VALVING OPTIONS | ADJ. REBOUND VALVING RANGES | BEARING DESIGNATION |
| A or ACF | 5", 6", 7", 8" or 9" | 3 to 9 | 3-8, 6-11, 7-12, 5-14 | R |

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.







B212 AND B212-1 BILLET ROD ENDS - \$19.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.







(ALUMINUM BIG BODY)

A SERIES DOUBLE ADJUSTABLE



AC SERIES DOUBLE ADJUSTABLE

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving range and then the adjustable rebound valving range. See example below.

| | SHOCK Series | + | STROKE LENGTH | + | ADJ. COMPRESSION VALVING RANGE | + | ADJ. REBOUND VALVING RANGES | + | R | = | PART Number |
|----------|-----------------|---|------------------|---|--------------------------------|---|--------------------------------|---|---|---|----------------|
| EXAMPLE: | A or AC | | 7" | | 3-7 | | 3-8 | | R | | AC737/38R |

AC Series Double Adjustable: **\$545**_99



CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.



STANDARD C320 COMPLETE 2.5" COIL-OVER KIT

2.5" TAPERED COIL-OVER KIT FOR USE WITH STANDARD B200 ROD END!

See pages 26-27 for Oval Track Accessories.





B212 AND B212-1 BILLET ROD ENDS - \$19.99

- High quality billet rod end.
- Accommodates new and improved seat retention system.





(ALUMINUM BIG BODY)

A SERIES NON-ADJUSTABLE



(ALUMINUM BIG BODY)

AC SERIES NON-ADJUSTABLE

AC Series

Non-Adjustable:

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

| | SHOCK SERIES | + STROKE LENGTH | + COMPRESSION VALVING OPTIONS | + | REBOUND Valving options | + | В | = | PART Number |
|----------|-----------------|--------------------|-------------------------------|---|----------------------------|---|---|---|----------------|
| EXAMPLE: | A or AC | 6" | 3 | | 0 | | R | | A630B |

| | POPULAR VALVING COMBINATIONS | | | | | | | | | | | | |
|-----------|------------------------------|------------|------------|------------|-----------|------------|------------|------------|------------|--|--|--|--|
| VALVING | 6"STROKE | 7" STROKE | 8" STROKE | 9" STROKE | VALVING | 6"STROKE | 7" STROKE | 8" STROKE | 9" STROKE | | | | |
| 3-0 VALVE | (A/AC)630B | (A/AC)730B | (A/AC)830B | (A/AC)930B | 5-4 VALVE | (A/AC)654B | (A/AC)754B | (A/AC)854B | (A/AC)954B | | | | |
| 3-5 VALVE | (A/AC)635B | (A/AC)735B | (A/AC)835B | (A/AC)935B | 5-7 VALVE | (A/AC)657B | (A/AC)757B | (A/AC)857B | (A/AC)957B | | | | |
| 4-0 VALVE | (A/AC)640B | (A/AC)740B | (A/AC)840B | (A/AC)940B | 6-0 VALVE | (A/AC)660B | (A/AC)760B | (A/AC)860B | (A/AC)960B | | | | |
| 4-6 VALVE | (A/AC)646B | (A/AC)746B | (A/AC)846B | (A/AC)946B | 6-3 VALVE | (A/AC)663B | (A/AC)763B | (A/AC)863B | (A/AC)963B | | | | |
| 5-0 VALVE | (A/AC)650B | (A/AC)750B | (A/AC)850B | (A/AC)950B | 6-4 VALVE | (A/AC)664B | (A/AC)764B | (A/AC)864B | (A/AC)964B | | | | |
| 5-1 VALVE | (A/AC)651B | (A/AC)751B | (A/AC)851B | (A/AC)951B | 7-0 VALVE | (A/AC)670B | (A/AC)770B | (A/AC)870B | (A/AC)970B | | | | |
| 5-2 VALVE | (A/AC)652B | (A/AC)752B | (A/AC)852B | (A/AC)952B | 8-0 VALVE | (A/AC)680B | (A/AC)780B | (A/AC)880B | (A/AC)980B | | | | |
| 5-3 VALVE | (A/AC)653B | (A/AC)753B | (A/AC)853B | (A/AC)953B | 9-1 VALVE | (A/AC)691B | (A/AC)791B | (A/AC)891B | (A/AC)991B | | | | |

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.

STANDARD C320 COMPLETE 2.5" COIL-OVER KIT

2.5" TAPERED COIL-OVER KIT FOR USE WITH STANDARD B200 ROD END!

See pages 26-27 for Oval Track Accessories.







- High quality billet rod end.
- Accommodates new and improved seat retention system.







(ALUMINUM SMALL BODY)

SBA, ASB SERIES NON-ADJUSTABLE



PRO TWIN SERIES (ALUMINUM SMALL BODY)

SBA, ASB SERIES NON-ADJUSTABLE

SBA SERIES SMALL BODY SMOOTH

HOW TO SPECIFY YOUR NON-ADJUSTABLE SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

| EXAMPLE: | SHOCK Series | + | STROKE Length | + | COMPRESSION VALVING OPTIONS | + | REBOUND Valving options | + | BEARING DESIGNATION | = | PART Number |
|----------|-----------------|---|------------------|---|-----------------------------|---|----------------------------|---|------------------------|---|----------------|
| NON-ADJ. | SBA | | 6" | | 3 | | 3 | | В | | SBA633B |

| | POPULAR NON-ADJUSTABLE VALVING COMBINATIONS | | | | | | | | | |
|-----------|---|-----------|-----------|--|--|--|--|--|--|--|
| VALVING | 6" STROKE | 7" STROKE | 8" STROKE | | | | | | | |
| 3 VALVE | SBA630B | SBA730B | SBA830B | | | | | | | |
| 3-5 VALVE | SBA635B | SBA735B | SBA835B | | | | | | | |
| 4 VALVE | SBA640B | SBA740B | SBA840B | | | | | | | |
| 4-6 VALVE | SBA646B | SBA746B | SBA846B | | | | | | | |
| 5 VALVE | SBA650B | SBA750B | SBA850B | | | | | | | |
| 5-1 VALVE | SBA651B | SBA751B | SBA851B | | | | | | | |
| 5-2 VALVE | SBA652B | SBA752B | SBA852B | | | | | | | |
| 5-3 VALVE | SBA653B | SBA753B | SBA853B | | | | | | | |
| 5-4 VALVE | SBA654B | SBA754B | SBA854B | | | | | | | |
| 5-7 VALVE | SBA657B | SBA757B | SBA857B | | | | | | | |





CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.

ASB SERIES SMALL BODY THREADED

HOW TO SPECIFY YOUR NON-ADJUSTABLE SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

| EXAMPLE: | SHOCK SERIES | ROKE NGTH | + | COMPRESSION VALVING OPTIONS | + | REBOUND Valving options | + | BEARING DESIGNATION | = | PART Number |
|----------|-----------------|--------------|---|-----------------------------|---|----------------------------|---|------------------------|---|----------------|
| NON-ADJ. | ASB | 6" | | 3 | | 3 | | В | | ASB633B |

| | POPULAR NON-ADJUSTABI | E VALVING COMBINATIONS | |
|-----------|-----------------------|------------------------|-----------|
| VALVING | 6" STROKE | 7" STROKE | 8" STROKE |
| 3 VALVE | ASB630B | ASB730B | ASB830B |
| 3-5 VALVE | ASB635B | ASB735B | ASB835B |
| 4 VALVE | ASB640B | ASB740B | ASB840B |
| 4-6 VALVE | ASB646B | ASB746B | ASB846B |
| 5 VALVE | ASB650B | ASB750B | ASB850B |
| 5-1 VALVE | ASB651B | ASB751B | ASB851B |
| 5-2 VALVE | ASB652B | ASB752B | ASB852B |
| 5-3 VALVE | ASB653B | ASB753B | ASB853B |
| 5-4 VALVE | ASB654B | ASB754B | ASB854B |
| 5-7 VALVE | ASB657B | ASB757B | ASB857B |





WB SERIES

(STEEL BIG BODY)

WB SERIES NON-ADJUSTABLE



WB Series: \$79.99

The newly redesigned PRO WB Series shocks now feature hardened shafts with a removable rod end while still maintaining our superior, yet economical gas cell design. A snap ring groove has also been added to allow the use of a coil-over kit. These are ideal for IMCA Modified-type race cars.

- Twin tube design for great driver feel.
- Available in a wide range of valve options tune your chassis for speed.
- Split valve options available for maximum traction.
- Great shock for both dirt and asphalt.
- Comes with rod end and travel indicator.

HOW TO SPECIFY YOUR SHOCK

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length, compression valving, rebound valving, and black body WB Series designation. **An example part number would be WB735BK.**

| SHOCK SERIES | STROKE LENGTH | COMPRESSION VALVING | REBOUND VALVING | BLACK BODY WB |
|--------------|---------------|---------------------|-----------------|---------------|
| WB | 7 | 3 | 5 | BK |

| DESCRIPTION | 7" STROKE | 9" STROKE |
|-------------|-----------|-----------|
| 3 VALVE | • | WB93BK |
| 3-5 VALVE | WB735BK | WB935BK |
| 4 VALVE | WB74BK | WB94BK |
| 4-6 VALVE | WB746BK | WB946BK |
| 5 VALVE | WB75BK | WB95BK |
| 5-3 VALVE | WB753BK | WB953BK |
| 6 VALVE | WB76BK | WB96BK |
| 6-3 VALVE | WB763BK | WB97BK |
| 7 VALVE | WB77BK | • |
| 9-1 VALVE | WB791BK | • |



VISIT US ONLINE AT PROSHOCKS.COM

FIND A DEALER WATCH TUTORIALS

SHOP THE ONLINE STORE PLACE AN ORDER

SIGN UP FOR OUR

NEWSLETTER



WB SERIES (STEEL BIG BODY)

WB SERIES NON-ADJUSTABLE

WB ACCESSORIES

C300WB - 2.5" SPRING COIL-OVER KIT FOR BLACK BODY WB - \$54.99

C327WB - 5" SPRING COIL-OVER KIT FOR BLACK BODY WB - \$85.99





FOR "GOLD BODY" WB SERIES COIL-OVER KITS SEE PAGE 27



TAKE APART SERIES

TA SERIES NON-ADJUSTABLE



PRO Shocks offers a complete lineup of steel take apart shocks for all forms of racing. These shocks are fully rebuildable and available in virtually any valve configuration. All TA shocks are a twin tube design providing superior driver feel. Additionally, all TA shocks feature a snap ring groove allowing the shock to be used as a coil-over unit. Hundreds of feature events have been won on the PRO TA Series shocks. For driver feel, ease of tuning and value for your money, choose PRO TA Series shocks.



Shock ends are sold separately. You will need to order (2) rod ends (# WB200 - \$11.99 each) to complete your order for the TA Series.

- Twin Tube design for great driver feel.
- Take apart style enables repair and revalve work.
- Almost any valving option is available to fine tune your chassis.
- Great choice for both dirt and asphalt.

> SEE PAGE 42 FOR VALVE CODE OPTIONS.



TAKE APART SERIES

(STEEL BIG BODY / SMALL BODY)

TA, TASB SERIES NON-ADJUSTABLE

TA NON-ADJUSTABLE SMOOTH BIG BODY STEEL

HOW TO ORDER YOUR TA NON-ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

| | SHOCK SERIES | + STROKE LENGTH | | REBOUND VALVING OPTIONS | EXAMPLE PART NUMBER |
|----------------|-----------------|--------------------|-----|--------------------------------|------------------------|
| NON-ADJUSTABLE | TA | 4" - 9" | 1-9 | 0.5-14 | TA717 |

| | | | POP | ULAR N | ION-AD | JUSTAB | LE VALVI | NG COI | MBINAT | IONS | | | |
|-------|--------------|--------------|--------------|--------------|--------------|--------------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| VALVE | 4" STROKE | 5" STROKE | 6" STROKE | 7" STROKE | 8" STROKE | 9" STROKE | VALVE | 4" STROKE | 5" STROKE | 6" STROKE | 7" STROKE | 8" STROKE | 9" STROKE |
| 3 | TA430 | TA530 | TA630 | TA730 | TA830 | TA930 | 5-4 | TA454 | TA554 | TA654 | TA754 | TA854 | TA954 |
| 3-5 | TA435 | TA535 | TA635 | TA735 | TA835 | TA935 | 5-7 | TA457 | TA557 | TA657 | TA757 | TA857 | TA957 |
| 4 | TA440 | TA540 | TA640 | TA740 | TA840 | TA940 | 6 | TA460 | TA560 | TA660 | TA760 | TA860 | TA960 |
| 4-6 | TA446 | TA546 | TA646 | TA746 | TA846 | TA946 | 6-3 | TA463 | TA563 | TA663 | TA763 | TA863 | TA963 |
| 5 | TA450 | TA550 | TA650 | TA750 | TA850 | TA950 | 6-4 | TA464 | TA564 | TA664 | TA764 | TA864 | TA964 |
| 5-1 | TA451 | TA551 | TA651 | TA751 | TA851 | TA951 | 7 | TA470 | TA570 | TA670 | TA770 | TA870 | TA970 |
| 5-2 | TA452 | TA552 | TA652 | TA752 | TA852 | TA952 | 8 | TA480 | TA580 | TA680 | TA780 | TA880 | TA980 |
| 5-3 | TA453 | TA553 | TA653 | TA753 | TA853 | TA953 | 9-1 | TA491 | TA591 | TA691 | TA791 | TA891 | TA991 |

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.









HOW TO ORDER YOUR TASB NON-ADJUSTABLE SHOCKS

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length number. Next, choose the compression valving number and then the rebound valving number. See example below.

| | SHOCK SERIES | + | STROKE LENGTH | + | COMPRESSION VALVING OPTIONS | + | REBOUND VALVING OPTIONS | EXAMPLE PART NUMBER |
|----------------|-----------------|---|------------------|---|-----------------------------|---|----------------------------|------------------------|
| NON-ADJUSTABLE | TASB | | 4" - 7" | | 0.5 TO 7 | | 0.5-8 | TASB754 |

| | POPULAR NON-ADJUSTABLE VALVING COMBINATIONS | | | | | | | | | | |
|-----------|---|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|--|
| VALVING | 4" STROKE | 5"STROKE | 6" STROKE | 7" STROKE | VALVING | 4" STROKE | 5" STROKE | 6" STROKE | 7" STROKE | | |
| 1 VALVE | TASB410 | • | TASB610 | TASB710 | 5-2 VALVE | TASB452 | TASB552 | TASB652 | TASB752 | | |
| 2 VALVE | TASB420 | TASB520 | TASB620 | TASB720 | 5-3 VALVE | TASB453 | TASB553 | TASB653 | TASB753 | | |
| 3 VALVE | TASB430 | TASB530 | TASB630 | TASB730 | 5-4 VALVE | TASB454 | TASB554 | TASB654 | TASB754 | | |
| 3-5 VALVE | TASB435 | TASB535 | TASB635 | TASB735 | 5-7 VALVE | TASB457 | TASB557 | TASB657 | TASB757 | | |
| 4 VALVE | TASB440 | TASB540 | TASB640 | TASB740 | 6 VALVE | TASB460 | TASB560 | TASB660 | TASB760 | | |
| 4-6 VALVE | TASB446 | TASB546 | TASB646 | TASB746 | 6-3 VALVE | TASB463 | TASB563 | TASB663 | TASB763 | | |
| 5 VALVE | TASB450 | TASB550 | TASB650 | TASB750 | 6-4 VALVE | TASB464 | TASB564 | TASB664 | TASB764 | | |
| 5-1 VALVE | TASB451 | TASB551 | TASB651 | TASB751 | 7 VALVE | TASB470 | TASB570 | TASB670 | TASB770 | | |

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.







REQUIRES (2) B275 ROD ENDS \$15.99 each

F D T

TAKE APART SERIES

(STEEL LARGE BODY / SMALL BODY)

TASS, TASSSB SERIES NON-ADJUSTABLE



PRO offers a bold line of steel, stock mount, rebuildable and revalvable shocks targeted at any class with a stock mounting rule. No other shock offers the versatility of the PRO TASS shock. Choose virtually any valving combination to fine tune your chassis to lower lap times. From entry level Street Stocks to Sport Mods, the PRO TASS Shock Series is the preferred shock for champions everywhere.

- Great for any series that requires a stock mount shock.
- Twin tube design for great driver feel.
- Take apart style shock enables repair and revalve work at factory.
- Almost any valving option is available to fine tune your chassis.

> SEE PAGE 42 FOR VALVE CODE OPTIONS.

HOW TO ORDER YOUR TASS SHOCKS

- 1. Locate your application/car type.
- 2. Select front or rear base part number.
- 3. Choose the desired compression valving (1 to 9) and add to base part number.
- 4. Choose the desired rebound valving (1 to 14) and add to number in step #3.

An example TASS part number would be TASS100494. An example TASSSB part number would be TASSSB100494.



TASS1005

| | BASE PART NUMBER | COMPRESSION Valving | REBOUND Valving | EXAMPLE Part Number |
|----------------------|---------------------|------------------------|--------------------|------------------------|
| TASS (2" BODY) | TASS1004 | 1 TO 9 | 1 TO 14 | TASS100494 |
| TASSSB (1-5/8" BODY) | TASSSB1004 | 1 TO 9 | 1 TO 14 | TASSSB100494 |

| | TASS | 5 - 2" | TASSSB - 1-5/8" | | |
|------------------------------|------------|------------|-----------------|--------------|--|
| CAR TYPE | FRONT | REAR | FRONT | REAR | |
| GM MID-SIZE / METRIC CHASSIS | TASS1004XX | TASS2018XX | TASSSB1004XX | • | |
| '70-'81 CAMARO / FIREBIRD | TASS1004XX | TASS2008XX | TASSSB1004XX | • | |
| GM FULL SIZE | TASS1005XX | TASS2018XX | TASSSB1005XX | • | |
| FORD FULL SIZE / MID-SIZE | TASS1005X | TASS4008XX | TASSSB1005X | • | |
| 74-78 FORD MUSTANG II | TASS3004XX | TASS4025XX | TASSSB3004XX | TASSSB4025XX | |
| 71-80 PINTO (EXCEPT SW) | TASS3004XX | TASS4015XX | TASSSB3004XX | TASSSB4015XX | |

CUSTOM VALVING OPTIONS AVAILABLE - SEE PAGE 42 FOR VALVE CODE OPTIONS.

REPLACEMENT ROD ENDS AND OTHER ACCESSORIES CAN BE FOUND ON PAGE 38.

SS SERIES NON-ADJUSTA

PRO Shocks offers a complete line of twin tube Street Stock and Pure Stock shocks. Based on the design, these shocks offer superior driver feel that promotes consistent lap times and have helped deliver championships for over 30 years.

These specially designed street stock shocks are made to replace the stock OEM units in the original mounting locations. The SS series has extra heavy damping designed for the rigors of street stock racing.

- Great for any series that requires a stock mount shock.
- Twin tube design for great driver feel.
- Specifically designed and valved for today's Street Stocks.
- Direct bolt-in fitment no modifications necessary.
- Heavy duty construction promotes years of service.
- Promotes weight transfer on slick racetracks.
- Many mounting combinations available.

| CHOOSE YOUR SHOCK | | | | | | | | | |
|------------------------------|-------------------|--------------------|-----------------------|--------------------|------------------|--|--|--|--|
| APPLICATION | POSITION | NON-ADJ. Part # | COMPRESSED LENGTH | EXTENDED Length | STROKE Length | | | | |
| GM FULL-SIZE & MID-SIZE* | FRONT | SS100 | 8.5" | 13.1" | 4.6" | | | | |
| | REAR | SS201 | 12.75" | 20.95" | 8.2" | | | | |
| '70-'81 CAMARO / | FRONT | SS100 | 8.5" | 13.1" | 4.6" | | | | |
| FIREBIRD | REAR | SS200 | 12.85" | 21.69" | 8.84" | | | | |
| FORD FULL SIZE / MID-SIZE | FRONT REAR | SS100 • | 8.5" | 13.1" | 4.6" | | | | |
| 74-78 FORD | FRONT | SS300 | 7.26" | 10.72" | 3.45" | | | | |
| MUSTANG II | REAR | SS402 | 9.81" | 15.81" | 6" | | | | |
| 71-80 PINTO | FRONT | SS300 | 7.26" | 10.72" | 3.45" | | | | |
| (EXCEPT SW) | REAR | SS401 | 8.77" | 14.17" | 5.4" | | | | |
| * FULL & MID-SIZE GM | INCLUDES CHEVELLI | E, GRAND PRIX, MON | TE CARLO, CUTLASS, G1 | O, TEMPEST, REGAL | . & SKYLARK. | | | | |





SS201

OVAL TRACK ACCESSORIES

ACF SERIES ACCESSORIES

C353 COMPLETE 2.5" TAPERED COIL-OVER KIT FOR ACF SERIES - \$74.99



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|--|----------|---------|
| 2.5" TAPERED UPPER SPRING SEAT - ALUM. | 20130CR | \$14.99 |
| C/O NUT, 2-1/8"-10 THREAD | C354 | \$39.99 |
| UPPER SPRING SEAT CLIP RETAINER | 10243SR | \$3.99 |
| SWIVEL DELETE CUP | 20128D-3 | \$11.49 |
| STANDARD BILLET ROD END | B212 | \$19.99 |
| 1" EXTENDED BILLET ROD END | B212-1 | \$19.99 |

C352 COMPLETE 2.5" FLAT COIL-OVER KIT FOR ACF SERIES - \$74.99



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|-------------------------------------|----------|---------|
| 2.5" FLAT UPPER SPRING SEAT - ALUM. | 20128DR | \$24.99 |
| C/O NUT, 2-1/8"-10 THREAD | C354 | \$39.99 |
| UPPER SPRING SEAT CLIP RETAINER | 10243SR | \$3.99 |
| SWIVEL DELETE CUP | 20128D-3 | \$11.49 |
| STANDARD BILLET ROD END | B212 | \$19.99 |
| 1" EXTENDED BILLET ROD END | B212-1 | \$19.99 |

AC SERIES ACCESSORIES

C350 COMPLETE 2.5" COIL-OVER KIT FOR RED TOP AC - \$62.99 NOTE: For use with new B212 or B212-1 billet rod end.



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|--|----------|---------|
| 2.5" TAPERED UPPER SPRING SEAT - ALUM. | 20130CR | \$14.99 |
| 2.5" AC SHOCK ADJUSTABLE NUT | C321 | \$22.99 |
| UPPER SPRING SEAT CLIP RETAINER | 10243SR | \$3.99 |
| SWIVEL DELETE CUP | 20128D-3 | \$11.49 |
| STANDARD BILLET ROD END | B212 | \$19.99 |
| 1" EXTENDED BILLET ROD END | B212-1 | \$19.99 |

C349 COMPLETE 2.5" COIL-OVER KIT FOR RED TOP AC - \$62.99 NOTE: For use with new B212 or B212-1 billet rod end.



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|-------------------------------------|----------|---------|
| 2.5" FLAT UPPER SPRING SEAT - ALUM. | 20128DR | \$24.99 |
| 2.5" AC SHOCK ADJUSTABLE NUT | C321 | \$22.99 |
| UPPER SPRING SEAT CLIP RETAINER | 10243SR | \$3.99 |
| SWIVEL DELETE CUP | 20128D-3 | \$11.49 |
| STANDARD BILLET ROD END | B212 | \$19.99 |
| 1" EXTENDED BILLET ROD END | B212-1 | \$19.99 |




C320 COMPLETE 2.5" COIL-OVER KIT FOR AC - \$46.99 NOTE: For use with standard B200 rod end.



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|--------------------------------|--------|---------|
| 2.5" UPPER SPRING SEAT - ALUM. | C303 | \$19.99 |
| 2.5" AC SHOCK ADJUSTABLE NUT | C321 | \$22.99 |
| "DIAPER PIN" - BB | 10157 | \$4.99 |

INDIVIDUAL ACCESSORIES













| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|---------------------------------|--------|---------|
| 1/2" I.D. "BB" BEARING MOUNT | B200A | \$18.99 |
| 2.25" ADJUSTABLE NUT | C341 | \$21.99 |
| 2.25" UPPER SPRING SEAT - ALUM. | C342 | \$23.99 |

| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|--------------------------------|-------------|---------|
| 2" WASHER - STAINLESS STEEL | C304 | \$7.99 |
| 2.5" DOUBLE SPRING SLEEVE | C404 | \$25.99 |
| JAM NUT DOUBLE SPRING KIT | C602 | \$18.99 |
| WASHER 1.18" X 0.827" X 0.078" | A550090005X | \$1.99 |

OVAL TRACK ACCESSORIES

SBA/ASB SERIES ACCESSORIES













| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|----------------------------------|--------|---------|
| 1.875" UPPER SPRING SEAT - ALUM. | C378 | \$22.99 |
| 1.875" ASB SHOCK ADJUSTABLE NUT | C331 | \$20.99 |
| "DIAPER PIN" - SB | C323 | \$2.99 |
| 2.5" UPPER SPRING SEAT - ALUM. | C303 | \$19.99 |
| 2.5" ASB SHOCK ADJUSTABLE NUT | C336 | \$30.99 |
| 1/2" I.D. "SB" BEARING MOUNT | B275 | \$15.99 |
| DOUBLE SPRING SLEEVE | C401 | \$24.99 |
| JAM NUT DOUBLE SPRING KIT | C402 | \$16.99 |
| | | |

BLACK BODY WB SERIES ACCESSORIES

C300WB 2.5" SPRING COIL-OVER KIT FOR BLACK BODY WB - \$54.99

C327WB 5" SPRING COIL-OVER KIT FOR BLACK BODY WB - \$85.99









INDIVIDUAL ACCESSORIES

THREADED TUBE - ALUM. 2" BODY (WB)

STEEL BEARING MOUNT

ADJUSTER NUT - ALUM. 2.5"



PRICE

\$11.99

\$18.99

\$18.99



PART #

WB200

C301WB

C302





INDIVIDUAL ACCESSORIES

UPPER SPRING SEAT - ALUM. 2.5"

UPPER SPRING SEAT CLIP RETAINER

BIG BODY RETAINING RING



10243SR



\$3.99



| C301WB | 20130B | C305 | 10243SR | C328 | 20118B | A550090151XM |
|--------|--------|------|---------|------|--------|--------------|



| INDIVIDUAL ACCESSORIES | PART # | PRICE |
|-------------------------------|--------------|---------|
| ADJUSTABLE NUT FOR 5" SPRING | C328 | \$34.99 |
| 5" SPRING ADAPTER - TOP PLATE | 20118B | \$28.99 |
| SPRING SEAT ADAPTER | A550090151XM | \$6.99 |

GOLD BODY WB AND TA SERIES ACCESSORIES

C300 2.5" SPRING COIL-OVER KIT - \$54.99



C327 5" SPRING COIL-OVER KIT - \$85.99



ASB/SR SERIES

(ALUMINUM SMALL BODY)

3-POSITION REBOUND ADJUSTABLE COIL-OVER



PRO Shocks delivers the ultimate coil-over Hot Rod shock in the ASB/SR Shock Series. Featuring an all aluminum body and 3-position rebound adjustable valving, every Hot Rod deserves the plush ride delivered by the ASB/SR shocks.

The true benefits from these shocks can be found in the adjustable valving. These shocks can be adjusted from "Soft" for a lightweight car, to "Firm" for a heavier ride, to match the exact valving to the needs of your Hot Rod. Additionally, the aluminum body can be polished to a high luster to accent the looks of your Hot Rod. The ASB/SR Series shocks are available in a wide variety of mounting lengths and urethane end options.

- Adjustable from "Soft" to "Firm".
- Aluminum billet construction.
- Great shock from "T-Bucket" to "Lead Sled".
- Polished finish available by request.
- Must install with shaft pointing up to work properly.



Soft, Medium & Firm Adjustments.

> SEE PAGE 41 FOR DYNO CHARTS.

HOW TO ORDER YOUR SHOCKS

To order the shock combination you want, construct your shock part number by following the chart below. The shock series is the first designation, then the stroke length, body type, mount type and finally the optional polished finish and/or small body. An example part number for non polished would be ASB/SR3AB. That same part number in a polished small body would be ASB/SR3ABPS as shown below.

| SHOCK SERIES | STROKE LENGTH | BODY TYPE (A=ALUM.) | MOUNT Type | POLISHED FINISH OPTION | 1-7/8" Coil-over kit | |
|-----------------|------------------|------------------------|---------------|---------------------------|-------------------------|--|
| ASB/SR | 3" | A | B* | Р | S | |

*MOUNT TYPE OPTIONS: B = 1/2" BEARING, B58 = 5/8" BEARING, U = 1/2" URETHANE, U58 = 5/8" URETHANE.



ASB/SR SERIES (ALUMINUM SMALL BODY)

3-POSITION REBOUND ADJUSTABLE COIL-OVER

HOW TO SPECIFY YOUR SHOCK

Using the compressed and extended lengths taken from existing shocks may not be the most accurate solution for your vehicle. Set the vehicle at the desired ride height and measure from the center of the upper shock mount to the center of the lower shock mount to determine the length of shock needed and determine your specific mounting configuration. This method of measuring shock lengths works in both coil-over and non-coil-over applications. If a measurement should fall between shock lengths, choose the shock that gives you the most compression travel. Refer to the diagrams and charts on pages 34 and 35 for the ASB/SR shock lengths to fit your application.

| PART N | UMBER | | | | | |
|----------------------------------|----------------------------|------------------|---------------------------------|----------------|------------------------------|---------------|
| NATURAL FINISH Non-adjustable | POLISHED Non-adjustable | STROKE LENGTH | COMPRESSED / Extended Length | RIDE HEIGHT | RECOMMENDED SPRING HEIGHT | MOUNT Type |
| ASB/SR3AB | ASB/SR3ABP | 3" | 8.5" / 11.5" | 10.5" | 7" | 1/2" BEARING |
| ASB/SR4AB | ASB/SR4ABP | 4" | 9.5" / 13.5" | 11.5" | 8" | 1/2" BEARING |
| ASB/SR5AB | ASB/SR5ABP | 5" | 10.5" / 15.5" | 13.5" | 10" | 1/2" BEARING |
| ASB/SR6AB | ASB/SR6ABP | 6" | 11.5" / 17.5" | 15" | 10", 12" | 1/2" BEARING |
| ASB/SR3AU | ASB/SR3AUP | 3" | 8.5" / 11.5" | 10.5" | 7" | 1/2" URETHANE |
| ASB/SR4AU | ASB/SR4AUP | 4" | 9.5" / 13.5" | 11.5" | 8" | 1/2" URETHANE |
| ASB/SR5AU | ASB/SR5AUP | 5" | 10.5" / 15.5" | 13.5" | 10" | 1/2" URETHANE |
| ASB/SR6AU | ASB/SR6AUP | 6" | 11.5" / 17.5" | 15" | 10", 12" | 1/2" URETHANE |
| ASB/SR3AB58 | ASB/SR3AB58P | 3" | 8.5" / 11.5" | 10.5" | 7" | 5/8" BEARING |
| ASB/SR4AB58 | ASB/SR4AB58P | 4" | 9.5" / 13.5" | 11.5" | 8" | 5/8" BEARING |
| ASB/SR5AB58 | ASB/SR5AB58P | 5" | 10.5" / 15.5" | 13.5" | 10" | 5/8" BEARING |
| ASB/SR6AB58 | ASB/SR6AB58P | 6" | 11.5" / 17.5" | 15" | 10", 12" | 5/8" BEARING |
| ASB/SR3AU58 | ASB/SR3AU58P | 3" | 8.5" / 11.5" | 10.5" | 7" | 5/8" URETHANE |
| ASB/SR4AU58 | ASB/SR4AU58P | 4" | 9.5" / 13.5" | 11.5" | 8" | 5/8" URETHANE |
| ASB/SR5AU58 | ASB/SR5AU58P | 5" | 10.5" / 15.5" | 13.5" | 10" | 5/8" URETHANE |
| ASB/SR6AU58 | ASB/SR6AU58P | 6" | 11.5" / 17.5" | 15" | 10", 12" | 5/8" URETHANE |

Add an S for 1-7/8" coil-over kit.

- SEE PAGE 34 FOR HELP WITH CHOOSING YOUR SHOCK LENGTH.

BUILD YOUR OWN SHOCK

To construct a shock to meet your specific needs, first choose your desired part number from the chart below and then choose the appropriate accessories from the parts shown. Note all part numbers for ordering, as you will be building your own shock. When ordering an accessory in a non polished finish add -10.

| PART NUMBER | STROKE LENGTH | COMP. / EXT. LENGTH | RIDE HEIGHT | PRICE |
|--------------|---------------|---------------------|-------------|----------|
| ASB/SR3 *(P) | 3" | 8.5" / 11.5" | 10.5" | \$109.99 |
| ASB/SR4 *(P) | 4" | 9.5" / 13.5" | 11.5" | \$109.99 |
| ASB/SR5 *(P) | 5" | 10.5" / 15.5" | 13.5" | \$109.99 |
| ASB/SR6 *(P) | 6" | 11.5" / 17.5" | 15" | \$109.99 |





SPRINGS

(2-5/8" INNER DIAMETER)

COIL-OVER SPRINGS

Rigorous testing and design have yielded what we believe to be the best looking and best performing chrome spring on the market. These springs will provide the strength, durability, and show stopping good looks you desire.

We completely polish these springs - inside and out - for 360° of high-quality chrome finish. We set out to provide you with a spring that looked amazing on the outside and performed to exceed your expectations. We have achieved our goal with these chrome coil-over springs.



(2-5/8" INNER DIAMETER) **COIL-OVER SPRINGS**

| 7" SPRINGS | | | | |
|------------|------|--|--|--|
| PART # | RATE | | | |
| 27300-1CR | 300 | | | |
| 27350-1CR | 350 | | | |
| 27400-1CR | 400 | | | |
| 27450-1CR | 450 | | | |

| 8" SPRINGS | | | | | |
|------------|------|--|--|--|--|
| PART # | RATE | | | | |
| 28150-1CR | 150 | | | | |
| 28200-1CR | 200 | | | | |
| 28225-1CR | 225 | | | | |
| 28250-1CR | 250 | | | | |
| 28300-1CR | 300 | | | | |
| 28325-1CR | 325 | | | | |
| 28375-1CR | 375 | | | | |
| 28400-1CR | 400 | | | | |
| 28450-1CR | 450 | | | | |
| 28500-1CR | 500 | | | | |

| 10" SPRINGS | | | | | |
|-------------|------|---------|------|--|--|
| PART # | RATE | PART # | RATE | | |
| 23115CR | 115 | 23300CR | 300 | | |
| 23125CR | 125 | 23325CR | 325 | | |
| 23140CR | 140 | 23350CR | 350 | | |
| 23150CR | 150 | 23375CR | 375 | | |
| 23165CR | 165 | 23400CR | 400 | | |
| 23175CR | 175 | 23425CR | 425 | | |
| 23200CR | 200 | 23450CR | 450 | | |
| 23225CR | 225 | 23500CR | 500 | | |
| 23250CR | 250 | 23550CR | 550 | | |
| 23275CR | 275 | 23600CR | 600 | | |

| 12" SPRINGS | | | | |
|-------------|------|---------|------|--|
| PART # | RATE | PART # | RATE | |
| 22095CR | 95 | 22250CR | 250 | |
| 22110CR | 110 | 22275CR | 275 | |
| 22125CR | 125 | 22300CR | 300 | |
| 22150CR | 150 | 22350CR | 350 | |
| 22175CR | 175 | 22375CR | 375 | |
| 22185CR | 185 | 22400CR | 400 | |
| 22200CR | 200 | 22450CR | 450 | |
| 22225CR | 225 | 22500CR | 500 | |

AVERAGE STREET ROD WEIGHTS

| YEAR | CAR TYPE | FRONT WEIGHT | REAR WEIGHT |
|---------|-----------------------------------|-----------------|----------------|
| '27 | FORD COUPE | 1200 | 1300 |
| '28-'31 | FORD COUPE | 1350 | 1400 |
| '32-'34 | FORD COUPE | 1400 | 1600 |
| '35-'38 | FORD COUPE | 1600 | 1700 |
| '39-'40 | FORD COUPE | 1700 | 1800 |
| '41-'48 | FORD COUPE | 1750 | 1700 |
| '32-'38 | CHEVROLET, PLYMOUTH & DODGE COUPE | 1500 | 1550 |
| '39-'40 | CHEVROLET, PLYMOUTH & DODGE COUPE | 1600 | 1600 |
| '41-'48 | CHEVROLET, PLYMOUTH & DODGE COUPE | 1700 | 1600 |

| OPTION | FRONT Weight | REAR WEIGHT |
|---------------------------------|-----------------|----------------|
| 4-DOOR SEDAN | 0 | +125 |
| SEDAN DELIVERY | +50 | +200 |
| ROADSTER | -50 | -50 |
| LESS FENDERS | -100 | -75 |
| AIR CONDITIONING | +75 | +25 |
| BIG BLOCK ENGINE | +175 | +25 |
| FORD, CHEVROLET, SMALL BLOCK | +75 | +25 |
| A-MODEL WITH SIDE OR REAR TANKS | 0 | +125 |

COIL-OVER SPRING RATES

| FRONT | | | | |
|-------------|------------------------|------------|-------------|--|
| INDEPENDENT | INDEPENDENT SUSPENSION | | HT AXLE | |
| CAR WEIGHT | SPRING RATE | CAR WEIGHT | SPRING RATE | |
| 1350 | 350 | 1150 | 350 | |
| 1475 | 400 | 1350 | 400 | |
| 1550 | 450 | 1550 | 450 | |
| 1600 | 500 | 1600 | 500 | |
| 1750 | 550 | 1750 | 550 | |

| REAR | | | | |
|-------------|-------------|---------------|-------------|--|
| INDEPENDENT | SUSPENSION | STRAIGHT AXLE | | |
| CAR WEIGHT | SPRING RATE | CAR WEIGHT | SPRING RATE | |
| 1150 | 150 | 1000 | 150 | |
| 1350 | 175 | 1150 | 175 | |
| 1450 | 200 | 1350 | 200 | |
| 1550 | 225 | 1550 | 225 | |
| 1600 | 250 | 1600 | 250 | |
| 1750 | 275 | 1750 | 275 | |
| 1800 | 300 | | | |

C200 SERIES

(STEEL SMALL BODY)

NON-ADJUSTABLE GM COIL-OVER



PRO Shocks offers the C200 Series shock to update your muscle car with a bolt-in designed coil-over front shock package. The C200 Series shocks are engineered to meet the demands of today's modern muscle cars. The coil-over design promotes adjustable ride height with a turn of the adjuster nut. Adjusting your car's ride height has never been easier.

- Coil-over design allows for quick ride height adjustment to get the stance you desire.
- Comes complete with tapered spring package based on make, model, and year.

HOW TO ORDER YOUR SHOCKS

To order the shock combination you want, find your make, model, and year on the corresponding chart on page 33 and select the appropriate part number.



CHROME TAPERED SPRINGS



Chrome Tapered Springs: \$74.99

| PART NUMBER | FREE LENGTH | TOP I.D. | BOTTOM I.D. | RATE | PRICE |
|-------------|-------------|----------|-------------|------|---------|
| 8SR375 | 8" | 3-1/2" | 2-1/2" | 375 | \$74.99 |
| 8SR500 | 8" | 3-1/2" | 2-1/2" | 500 | \$74.99 |
| 8SR600 | 8" | 3-1/2" | 2-1/2" | 600 | \$74.99 |
| 10SR350 | 10" | 3-1/2" | 2-1/2" | 350 | \$74.99 |
| 10SR450 | 10" | 3-1/2" | 2-1/2" | 450 | \$74.99 |
| 10SR550 | 10" | 3-1/2" | 2-1/2" | 550 | \$74.99 |
| 10GM300 | 10" | 4" | 2-5/8" | 300 | \$74.99 |
| 10GM375 | 10" | 4" | 2-5/8" | 375 | \$74.99 |
| 10GM400 | 10" | 4" | 2-5/8" | 400 | \$74.99 |
| 10GM450 | 10" | 4" | 2-5/8" | 450 | \$74.99 |


C200 SERIES

NON-ADJUSTABLE GM COIL-OVER

| Γ | | REAR | | |
|-------------------------------------|---|--|--|---|
| | SMALL BL | OCK CHEVY | BIG BLOCK CHEVY | |
| | STEEL - BLACK NON-COIL-OVER PRICE - \$74.99 | STEEL SBC COIL-OVER PRICE - \$459.99 | STEEL BBC COIL-OVER PRICE - \$459.99 | STEEL - BLACK NON-COIL-OVER PRICE - \$74.99 |
| BUICK | | FRONT | | REAR |
| '73-'87 REGAL | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '64-'67 SKYLARK | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '68-'72 SKYLARK | SS100 | C200/SR350 | C200/SR450 | SS201 |
| CHEVROLET | | FRONT | | REAR |
| '67-'69 CAMARO | SS100 | C200/SR375 | C200/SR500 | SS400 |
| '70-'81 CAMARO | SS100 | C200/GM300 | C200/GM450 | SS200 |
| '64-'67 CHEVELLE, EL CAMINO | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '68-'72 CHEVELLE, EL CAMINO | SS100 | C200/SR350 | C200/SR450 | SS201 |
| '73-'83 CHEVELLE, EL CAMINO | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '70-'72 MONTE CARLO | SS100 | C200/SR350 | C200/SR450 | SS201 |
| '73-'88 MONTE CARLO | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '68-'74 NOVA, CHEVY II | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '75-'79 NOVA, CHEVY II | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '63-'82 CORVETTE | SS100 | C200/SR375 | C200/SR500 | • |
| '84-'04 S-10, S-15 2WD | SS100 | C200/GM300 | C200/GM450 | • |
| '55-'57 FULL SIZE (IMPALA, BEL AIR) | SS100 | C250/GM300 | C250/GM450 | SS201 |
| '58-'93 FULL SIZE (IMPALA, BEL AIR) | SS100 | C200/GM300 | C200/GM450 | SS201 |
| OLDSMOBILE | | FRONT | | REAR |
| '64-'67 CUTLASS, 442 | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '68-'72 CUTLASS, 442 | SS100 | C200/SR350 | C200/SR450 | SS201 |
| '73-'87 CUTLASS, 442 | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '73-'74 OMEGA | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '75-'79 OMEGA | SS100 | C200/GM300 | C200/GM450 | SS201 |
| PONTIAC | | FRONT | | REAR |
| '67-'69 FIREBIRD | SS100 | C200/SR375 | C200/SR500 | SS400 |
| '70-'81 FIREBIRD | SS100 | C200/GM300 | C200/GM450 | SS200 |
| '64-'67 GTO, TEMPEST, LEMANS | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '68-'72 GTO, TEMPEST, LEMANS | SS100 | C200/SR375 | C200/SR500 | SS201 |
| '73-'87 GRAN PRIX, LEMANS | SS100 | C200/GM300 | C200/GM450 | SS201 |
| '74-'77 GTO, VENTURA | SS100 | C200/GM300 | C200/GM450 | SS201 |



ASB/SR SERIES (ALUMINUM SMALL BODY) MUSTANG II COIL-OVER



PRO Shocks ASB/SR Series (aluminum 3-position rebound adjustable shocks) offer unmatched quality and ride control. These shocks feature direct bolt-in fitment with no modifications necessary. Additionally, since this shock package is a true coil-over, you can make ride height changes simply by turning the adjuster nut. The valving can be fine-tuned for precise ride control from the "Soft" setting for light cars, to the "Firm" setting for an aggressive ride or a heavier car.

- All aluminum construction.
- 3-position valving adjustment for precise ride control.
- Coil-over design for infinite ride height adjustment.
- Available in 4 different mounting lengths for optimum fitment.
- Coil springs are available in multiple rates for smooth ride control.
- Polished finish available by request.



Soft, Medium & Firm Adjustments.


> SEE PAGE 41 FOR DYNO CHARTS.



The instructions below are general in scope and cannot encompass every application. To determine the stroke length you need for your application:

- 1 Set your vehicle at desired ride height.
- 2 Measure from the center of the mount locations.
- 3 Match your length at ride height to the table on the next page.





*SPRING SOLD SEPARATELY. SEE PAGE 35 FOR SPRINGS.

ASB/SR SERIES (ALUMINUM SMALL BODY)

MUSTANG II COIL-OVER

HOW TO SPECIFY YOUR SHOCKS

Using the compressed and extended lengths taken from existing shocks may not be the most accurate solution for your vehicle. Set the vehicle at the desired ride height and measure from the center of the upper shock mount to the center of the lower shock mount to determine the length of shock needed and determine your specific spring type. This method of measuring shock lengths works in both coil-over and non coil-over applications. If a measurement should fall between shock lengths, choose the shock that gives you the most compression travel. Refer to the charts on the following pages for our shock lengths to fit your application.

PART NUMBER COMP. / EXT. LENGTH STROKE LENGTH **RIDE HEIGHT SPRING TYPE** ASB/SR3AM2 8.5" / 11.5" 3" 10.5" OEM - NON-COIL-OVER ASB/SR4AM2 9.5" / 13.5" 4" 11.5" OEM - NON-COIL-OVER 5" ASB/SR5AM2 10.5" / 15.5" 13.5" OEM - NON-COIL-OVER ASB/SR6AM2 11.5" / 17.5" 6" 15" OEM - NON-COIL-OVER ASB/SR3AM2T 8.5" / 11.5" 3" 10.5" TAPERED - SOLD SEPARATELY 9.5" / 13.5" 4" 11.5" TAPERED - SOLD SEPARATELY ASB/SR4AM2T ASB/SR5AM2T 10.5" / 15.5" 5" 13.5" TAPERED - SOLD SEPARATELY ASB/SR6AM2T 11.5" / 17.5" 6" 15" TAPERED - SOLD SEPARATELY

For polished shocks add "P" to the end of the part number. An example of a part number for non-polished may be ASB/SR3AM2. That same part number in a polished finish would be ASB/SR3AM2P.

ASB/SR Series Starting At: \$159.99



CHROME TAPERED SPRINGS

HOW TO CHOOSE YOUR FRONT SPRINGS

Find your car in the vehicle chart below.

3 Choose your part number.

Match the recommended spring rate to part number chart below.

Chrome Tapered Springs: \$74_99

| YEAR | CAR TYPE | FRONT WEIGHT | SPRING RATE |
|---------|-------------------------------------|--------------|-------------|
| '27 | FORD COUPE | 1200 | 300 |
| '28-'31 | FORD COUPE | 1350 | 350 |
| '32-'34 | FORD COUPE | 1400 | 375 |
| '35-'38 | FORD COUPE | 1600 | 450 |
| '39-'40 | FORD COUPE | 1700 | 600 |
| '41-'48 | FORD COUPE | 1750 | 700 |
| '32-'38 | CHEVROLET, PLYMOUTH AND DODGE COUPE | 1500 | 450 |
| '39-'40 | CHEVROLET, PLYMOUTH AND DODGE COUPE | 1600 | 500 |
| '41-'48 | CHEVROLET, PLYMOUTH AND DODGE COUPE | 1700 | 600 |

| PART NUMBER | FREE LENGTH | TOP I.D. | BOTTOM I.D. | RATE | PRICE |
|-------------|-------------|----------|-------------|------|---------|
| 8SR375 | 8" | 3-1/2" | 2-1/2" | 375 | \$74.99 |
| 8SR500 | 8" | 3-1/2" | 2-1/2" | 500 | \$74.99 |
| 8SR600 | 8" | 3-1/2" | 2-1/2" | 600 | \$74.99 |
| 10SR350 | 10" | 3-1/2" | 2-1/2" | 350 | \$74.99 |
| 10SR450 | 10" | 3-1/2" | 2-1/2" | 450 | \$74.99 |
| 10SR550 | 10" | 3-1/2" | 2-1/2" | 550 | \$74.99 |



SM SERIES

(STEEL SMALL BODY)

CHROME STREET ROD SHOCKS



SM Series: **\$74.99**

PRO Shocks offers the standard of the industry in straight axle shocks. These steel body, chrome shocks are valved to soften the road, look awesome, and provide years of outstanding appearance and performance. These shocks feature a 5/8" urethane bushing with a 1/2" steel sleeve on both ends for quiet running in all conditions.

The SM Series is available in 5 different mounting and installed dimensions to fit almost every Hot Rod on the road. If you are building a new car or updating your current ride, look no further than PRO "SM Series" Hot Rod shocks.

| PART Number | RIDE HEIGHT Mounted Length | CLOSED Compressed Length | OPEN Extended Length | MOUNTING Ends |
|----------------|----------------------------------|--------------------------------|----------------------------|------------------|
| SM300 | 9" | 7.5" | 10.5" | EYE/EYE |
| SM400 | 10" | 8" | 12.1" | STUD/EYE |
| SM401 | 10.5" | 8.75" | 12.5" | EYE/EYE |
| SM500 | 12" | 9.5" | 14.5" | EYE/EYE |
| SM600 | 13.5" | 10.5" | 16.5" | EYE/EYE |

SM SERIES (STEEL SMALL BODY)

CHROME STREET ROD SHOCKS



SHOCK ACCESSORIES



| DESCRIPTION | PART # | PRICE |
|------------------------|--------|---------|
| SPRING SEAT - ALUMINUM | A110 | \$11.99 |
| 30# SPRING WHITE | A130 | \$17.99 |
| 40# SPRING GOLD | A140 | \$17.99 |
| 50# SPRING BLACK | A150 | \$17.99 |



| DESCRIPTION | PART # | PRICE |
|---------------------------|--------|---------|
| PRESSURE GAUGE - ALUMINUM | GAUGE | \$76.99 |



| DESCRIPTION | PART # | PRICE |
|--------------------------|--------|---------|
| ALUMINUM ROD END - 9/16" | B200A | \$18.99 |
| ALUMINUM ROD END - 1/2" | B275 | \$15.99 |



| DESCRIPTION | PART # | PRICE |
|--|--------|---------|
| NEW STYLE ROD END - 9/16" | B212 | \$19.99 |
| NEW STYLE 1" EXTENDED ROD END - 9/16" | B212-1 | \$19.99 |

*For coil-over shocks



| DESCRIPTION | PART # | PRICE |
|-----------------------------|----------|--------|
| GM BAR PIN ASSEMBLY - 9/16" | S512/514 | \$9.99 |
| GM BAR PIN ASSEMBLY - 1/2" | S577 | \$9.99 |



| DESCRIPTION | PART # | PRICE |
|---------------------------------|--------|--------|
| RUBBER EYERING ASSEMBLY - 9/16" | S500 | \$8.99 |
| 1/2" SLEEVE - 1/2" | S501 | \$2.99 |
| RUBBER EYERING ASSEMBLY - 1/2" | S575 | \$8.99 |



| DESCRIPTION | PART # | PRICE |
|-----------------------------|--------|--------|
| STUD MOUNT ASSEMBLY - 9/16" | S506 | \$8.99 |
| STUD MOUNT ASSEMBLY - 1/2" | S576 | \$7.99 |



| DESCRIPTION | PART # | PRICE |
|-----------------------|--------|---------|
| STEEL ROD END - 9/16" | WB200 | \$11.99 |



| DESCRIPTION | PART # | PRICE |
|--------------------------|-----------|----------|
| 5 GALLON - PRO SHOCK OIL | OIL-M5GAL | \$265.99 |
| 1 QUART - PRO SHOCK OIL | OIL-MQ | \$18.99 |



| DESCRIPTION | PART# | PRICE |
|----------------------------------|---------|--------|
| SNAP RING - TA, WB C/O | C305 | \$2.99 |
| SNAP RING - PG, NEW TA C/O | C305PG | \$2.99 |
| SNAP RING - SB COIL-OVER | C379 | \$3.99 |
| SPRING RETAINER CLIP - NEW STYLE | 10243SR | \$3.99 |



| DESCRIPTION | PART # | PRICE |
|--|--------|---------|
| 1/2" BEARING - NYLON/STEEL | B210 | \$12.99 |
| 1/2" BEARING - STEEL/STEEL | B210SS | \$11.99 |
| BEARING CLIP | B211 | \$1.99 |
| REPLACEMENT 1/2" BEARING AND CLIP FOR NEW BODY WITH DOT ABOVE BEARING POSITION | 1000 | \$14.99 |



| DESCRIPTI | ON | PART # | PRICE |
|------------------|----|--------|--------|
| "DIAPER PIN" - I | 3B | 10157 | \$4.99 |
| "DIAPER PIN" - S | SB | C323 | \$2.99 |



| DESCRIPTION | PART # | PRICE |
|---------------------------------|--------|---------|
| DUAL SPRING KIT - ASB SERIES | C400 | \$54.99 |
| DOUBLE SPRING SLEEVE - SB | C401 | \$24.99 |
| JAM NUTS DOUBLE SPRING KIT - SB | C402 | \$16.99 |
| DUAL SPRING SHORT SLEEVE - BB | C404 | \$25.99 |
| JAM NUT DOUBLE SPRING KIT - BB | C602 | \$18.99 |



| DESCRIPTION | PART # | PRICE |
|----------------------|--------|---------|
| 1" EXTENSION - 9/16" | C510 | \$12.99 |
| 2" EXTENSION - 9/16" | C520 | \$12.99 |
| 1" EXTENSION - 1/2" | C515 | \$12.99 |



| DESCRIPTION | PART # | PRICE |
|----------------|--------|--------|
| SPANNER WRENCH | Z902 | \$8.99 |






| DESCRIPTION | PART # | PRICE |
|-------------------------------|--------|--------|
| TRAVEL INDICATOR KIT - 2" | 9900 | \$3.99 |
| TRAVEL INDICATOR KIT - 1.625" | 9905 | \$3.99 |


MONOTUBE GAS SERIES

(ALUMINUM SMALL BODY)

G, GC SERIES SINGLE ADJUSTABLE SHOCKS

LINEAR-LINEAR PISTON











DIGRESSIVE-DIGRESSIVE PISTON







(ALUMINUM BIG BODY)

A, AC, ACF SERIES SINGLE ADJUSTABLE SHOCKS


REBOUND ADJUSTABLE RANGES (3-8 & 6-11)








REBOUND ADJUSTABLE RANGES (7-12 & 5-14)






A, AC SERIES DOUBLE ADJUSTABLE SHOCKS

COMPRESSION ADJUSTABLE RANGE

◆ SEE PAGE 41 FOR REBOUND ADJUSTABLE DYNO CHARTS.






ASB/SR SERIES (ALUMINUM SMALL BODY)

3-POSITION & MUSTANG II SHOCKS

REBOUND ADJUSTABLE RANGE





VALVING OPTIONS INDEX

MONOTUBE GAS SERIES

G & GC SERIES VALVE OPTIONS

ADJUSTABLE 4 THROUGH 6, 5 THROUGH 7
COMPRESSION RANGE

ADJUSTABLE REBOUND RANGE 2 THROUGH 5.5, 3 THROUGH 6, 4 THROUGH 7

TWIN TUBE SERIES

A & AC SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9

NON-ADJUSTABLE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, REBOUND VALVE 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

ADJUSTABLE 3 THROUGH 7 COMPRESSION RANGE

ADJUSTABLE 3 THROUGH 8, 6 THROUGH 11, 7 THROUGH 12, REBOUND RANGE 5 THROUGH 14

ACF SERIES VALVE OPTIONS

ADJUSTABLE 3 THROUGH 8, 6 THROUGH 11, 7 THROUGH 12, REBOUND RANGE 5 THROUGH 14

ASB & SBA SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7

NON-ADJUSTABLE REBOUND VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8

TASS SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9

NON-ADJUSTABLE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, REBOUND VALVE 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

TASSSB SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7

NON-ADJUSTABLE REBOUND VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7, 8

TWIN TUBE SERIES

TA SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9

NON-ADJUSTABLE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, REBOUND VALVE 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14

TASB SERIES VALVE OPTIONS

NON-ADJUSTABLE COMPRESSION VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7

NON-ADJUSTABLE REBOUND VALVE 0.5, 1, 2, 3, 4, 4.5, 5, 5.5, 6, 7, 8

REPAIRS, REVALVING & PRODUCT RETURNS

- For shock REPAIR or REVALVE service, contact PRO Shocks at 855-682-4404.
- Have the shock serial numbers and the specific service required for each shock ready to relay to your sales representative.
- Upon calling PRO Shocks, you will be issued a return number. Please write this number on the outside of the box, next to the shipping label.

This same number that you are given will be the number used for tracking and reference while being serviced.

- When your shocks are completed, a PRO Shocks salesperson will contact you for payment and return shipping.
- To RETURN a product, contact PRO Shocks at 855-682-4404 and let us know you would like to return a purchase.
- ALL RETURNS MUST REFERENCE AN INVOICE NO OLDER THAN 12 MONTHS.
- Upon calling PRO Shocks, you will be issued a return number. Please write this number on the outside of the box, next to the shipping label.

The return number will be your reference number going forward.

 PRO Shocks will process your return quickly and will contact you with the details.

LIMITED WARRANTY

AFCO Performance Group will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group has any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group by any such person, entity or agent are void. AFCO Performance Group products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard thereto.

© Copyright 2016 AFCO Performance Group • Printed in the U.S.A.

This catalog may not, in whole or in part, be copied, photocopied, reproduced, or converted to any electronic or machine-readable form without written consent of AFCO Performance Group.













For more PRO Shocks products... Check us out on the web!

At PRO Shocks, winning is everything. Building the best parts, providing industry leading technical support, great customer service and quick shipping is what you can expect when you log onto PROshocks.com.



Follow us on Facebook!

For PRO Shocks' latest news, technical updates, and event schedules, follow us on facebook! Get exclusive driver and shock tuner testimonials and shock information! Find us online at Facebook.com/PROshocks.

